ELSEVIER

Brain Research 778 (1997) 443–445

BRAIN RESEARCH

Author Index

Anderson, A.D., Troyanovskaya, M. and Wackym, P.A.
Differential expression of α2–7, α9 and β2–4 nicotinic acetylcholine receptor subunit mRNA in the vestibular end-organs and Scarpa's ganglia of the rat (778) 409
Andrews, A.M., see Bengel, D. (778) 338
Armitage, L.L., see Mohapel, P. (778) 186
Aschner, M., Lorscheider, F.L., Cowan, K.S., Conklin, D.R., Vimy, M.J. and Lash, L.H.
Metallothionein induction in fetal rat brain and neonatal primary astrocyte cultures by in utero exposure to elemental mercury vapor (Hg^0) (778) 222
Attardi, B., see Le, W.-W. (778) 272

Badaut, J., Moro, V., Seylaz, J. and Lasbennes, F.
Distribution of muscarinic receptors on the endothelium of cortical vessels in the rat brain (778) 25
Bánvölgyi, T., see Csoknya, M. (778) 414
Barna, J., see Csoknya, M. (778) 414
Bengel, D., Jöhren, O., Andrews, A.M., Heils, A., Mößner, R., Sanvitto, G.L., Saavedra, J.M., Lesch, K.-P. and Murphy, D.L.
Cellular localization and expression of the serotonin transporter in mouse brain (778) 338
Berghorn, K.A., see Le, W.-W. (778) 272
Bick, U., see Möller, H.E. (778) 329
Blaustein, J., see Le, W.-W. (778) 272
Bodega, G., see Suárez, I. (778) 346
Brent, V.A., see Sansom, A.J. (778) 166
Buckingham, R., see Widdowson, P.S. (778) 242
Busă, L., see Drago, F. (778) 135
Busch, E., Krüger, K. and Hossmann, K.-A.
Improved model of thromboembolic stroke and rt-PA induced reperfusion in the rat (778) 16

Carrer, H.F., see Córdoba Montoya, D.A. (778) 430
Chen, S.-C., Ehrhard, P., Goldowitz, D. and Smeyne, R.J.
Developmental expression of the GIRK family of inward rectifying potassium channels: implications for abnormalities in the *weaver* mutant mouse (778) 251
Cheng, P.Y., Liu-Chen, L.-Y. and Pickel, V.M.
Dual ultrastructural immunocytochemical labeling of μ and δ opioid receptors in the superficial layers of the rat cervical spinal cord (778) 367
Choulli, M.K., see Louilot, A. (778) 150
Chumpradit, S., see Vessotskie, J.M. (778) 89
Ciraolo, G., see Wang, X.-s. (778) 6
Conklin, D.R., see Aschner, M. (778) 222
Corcoran, M.E., see Mohapel, P. (778) 186
Córdoba Montoya, D.A. and Carrer, H.F.
Estrogen facilitates induction of long term potentiation in the hippocampus of awake rats (778) 430
Cowan, K.S., see Aschner, M. (778) 222
Csoknya, M., Barna, J., Bánvölgyi, T., Hiripi, L., Eckert, M., Hámori, J. and Elekes, K.
Octopamine-containing neurons in the alimentary tract of the earthworm (*Eisenia fetida*) (778) 414

Darlington, C.L., see Sansom, A.J. (778) 166
Davis, M., see Pelton, G.H. (778) 381
DeCaprio, J.L., see Kosten, T.A. (778) 418
Drago, F. and Busă, L.
Dose-dependent effects of acute kainic acid treatment on sexual behavior of male rats (778) 135

Eckert, M., see Csoknya, M. (778) 414
Ehrhard, P., see Chen, S.-C. (778) 251
Elekes, K., see Csoknya, M. (778) 414
Eng, D.L., Lee, Y.L. and Lal, P.G.
Expression of glutamate uptake transporters after dibutyryl cyclic AMP differentiation and traumatic injury in cultured astrocytes (778) 215

Fernández, B., see Suárez, I. (778) 346
Flagmeyer, I., Haas, H.L. and Stevens, D.R.
Adenosine A_1 receptor-mediated depression of corticostriatal and thalamostriatal glutamatergic synaptic potentials in vitro (778) 178
Fournier, C., see Mourre, C. (778) 405
Frank, M.G., Page, J. and Heller, H.C.
The effects of REM sleep-inhibiting drugs in neonatal rats: evidence for a distinction between neonatal active sleep and REM sleep (778) 64

Goldowitz, D., see Chen, S.-C. (778) 251
Green, P.S., see Gridley, K.E. (778) 158
Gridley, K.E., Green, P.S. and Simpkins, J.W.
Low concentrations of estradiol reduce β-amyloid (25–35)-induced toxicity, lipid peroxidation and glucose utilization in human SK-N-SH neuroblastoma cells (778) 158
Gruenstein, E., see Wang, X.-s. (778) 6

Haas, H.L., see Flagmeyer, I. (778) 178
Haile, C.N., see Kosten, T.A. (778) 418
Hallenbeck, J.M., see Nawashiro, H. (778) 265
Hámori, J., see Csoknya, M. (778) 414
Hannesson, D.K., see Mohapel, P. (778) 186
Hatanaka, H., see Sakai, N. (778) 318
Heaton, M.B., see Webb, B. (778) 354
Heils, A., see Bengel, D. (778) 338
Heizmann, C.W., see Yamashita, N. (778) 388
Heller, H.C., see Frank, M.G. (778) 64
Herbert, J., see Zhu, B. (778) 206
Herlenius, E.A.P., see Takita, K. (778) 233
Hiller, J.M., see Stone, E.A. (778) 1
Hillman, D.E., see Stone, E.A. (778) 1
Hiripi, L., see Csoknya, M. (778) 414
Hoffman, G.E., see Le, W.-W. (778) 272
Hong, M., see Mendez, I. (778) 194
Horner, R.L., Sanford, L.D., Pack, A.I. and Morrison, A.R.
Activation of a distinct arousal state immediately after spontaneous awakening from sleep (778) 127
Hossmann, K.-A., see Busch, E. (778) 16
Hu, Z., Yuri, K., Ozawa, H., Lu, H., Yang, Y., Ito, T. and Kawata, M.
Adrenalectomy-induced granule cell death is predicated on the disappearance of glucocorticoid receptor immunoreactivity in the rat hippocampal granule cell layer (778) 293

Ilg, E.C., see Yamashita, N. (778) 388
Inturrisi, C.E., see McLemore, G.L. (778) 120
Ito, T., see Hu, Z. (778) 293

Jarvie, P.E., see Sansom, A.J. (778) 166
Jatlow, P.I., see Kosten, T.A. (778) 418
Jean, A., see Schaffar, N. (778) 302
Jöhren, O., see Bengel, D. (778) 338
Jones, E.G., see Liang, F. (778) 281

Kang, T.-C., Seo, J., Lee, I.-s. and Lee, H.S.
The existence of substance P in Purkinje cells in cerebellum of the gerbil (778) 397
Kawata, M., see Hu, Z. (778) 293
Kessler, J.-P., see Schaffar, N. (778) 302
Kest, B., see McLemore, G.L. (778) 120
Kieffer, B., see Kitchen, I. (778) 73
Kishikawa, M., see Orihara, Y.I. (778) 393
Kitchen, I., Slowe, S.J., Matthes, H.W.D. and Kieffer, B.
Quantitative autoradiographic mapping of μ-, δ- and κ-opioid receptors in knockout mice lacking the μ-opioid receptor gene (778) 73

Kobayashi, Y. and Shinozawa, T.
Effect of dibutyryl cAMP and several reagents on apoptosis in PC12 cells induced by a sialoglycopeptide from bovine brain (778) 309
Koos, B.J., Kruger, L. and Murray, T.F.
Source of extracellular brain adenosine during hypoxia in fetal sheep (778) 439
Kosaka, K., see Yamashita, N. (778) 388
Kosaka, T., see Yamashita, N. (778) 388
Kosten, T.A., Miserendino, M.J.D., Haile, C.N., DeCaprio, J.L., Jatlow, P.I. and Nestler, E.J.
Acquisition and maintenance of intravenous cocaine self-administration in Lewis and Fischer inbred rat strains (778) 418
Krüger, K., see Busch, E. (778) 16
Kruger, L., see Koos, B.J. (778) 439
Kung, H.F., see Vessotskie, J.M. (778) 89
Kung, M.-P., see Vessotskie, J.M. (778) 89
Kwok, K.H.H., Tse, Y.C., Wong, R.N.S. and Yung, K.K.L.
Cellular localization of GluR1, GluR2/3 and GluR4 glutamate receptor subunits in neurons of the rat neostriatum (778) 43

Lal, P.G., see Eng, D.L. (778) 215
Lasbennes, F., see Badaut, J. (778) 25
Lash, L.H., see Aschner, M. (778) 222
Laverty, R., see Sansom, A.J. (778) 166
Le, W.-W., Attardi, B., Berghorn, K.A., Blaustein, J. and Hoffman, G.E.
Progesterone blockade of a luteinizing hormone surge blocks luteinizing hormone-releasing hormone Fos activation and activation of its preoptic area afferents (778) 272
Lee, H.S., see Kang, T.-C. (778) 397
Lee, I.-s., see Kang, T.-C. (778) 397
Lee, Y., see Pelton, G.H. (778) 381
Lee, Y.L., see Eng, D.L. (778) 215
Lesch, K.-P., see Bengel, D. (778) 338
Levin, B.E., see Routh, V.H. (778) 107
Liang, F. and Jones, E.G.
Zif268 and Fos-like immunoreactivity in tetanus toxin-induced epilepsy: reciprocal changes in the epileptic focus and the surround (778) 281
Lin, W., see Reynolds Jr., N.C. (778) 140
Lindahl, S.G.E., see Takita, K. (778) 233
Liu-Chen, L.-Y., see Cheng, P.Y. (778) 367
Lorscheider, F.L., see Aschner, M. (778) 222
Louilot, A. and Choulli, M.K.
Asymmetrical increases in dopamine turnover in the nucleus accumbens and lack of changes in locomotor responses following unilateral dopaminergic depletions in the entorhinal cortex (778) 150
Lu, H., see Hu, Z. (778) 293

Martin, D., see Nawashiro, H. (778) 265
Matthes, H.W.D., see Kitchen, I. (778) 73
McArdle, J.J., see Routh, V.H. (778) 107
McLemore, G.L., Kest, B. and Inturrisi, C.E.
The effects of LY293558, an AMPA receptor antagonist, on acute and chronic morphine dependence (778) 120
Mendez, I. and Hong, M.
Reconstruction of the striato-nigro-striatal circuitry by simultaneous double dopaminergic grafts: a tracer study using fluorogold and horseradish peroxidase (778) 194
Meyer Cameron, C., see Reynolds Jr., N.C. (778) 140
Miserendino, M.J.D., see Kosten, T.A. (778) 418
Mohapel, P., Armitage, L.L., Hannesson, D.K. and Corcoran, M.E.
The effects of fimbria/fornix transections on perforant path kindling and mossy fiber sprouting (778) 186
Möller, H.E., Weglage, J., Wiedermann, D., Vermathen, P., Bick, U. and Ullrich, K.
Kinetics of phenylalanine transport at the human blood–brain barrier investigated in vivo (778) 329
Moro, V., see Badaut, J. (778) 25
Morris, R., see Wang, X.-s. (778) 6
Morrison, A.R., see Horner, R.L. (778) 127
Mößner, R., see Bengel, D. (778) 338
Mourre, C., Fournier, C. and Soumireu-Mourat, B.
Apamin, a blocker of the calcium-activated potassium channel, induces neurodegeneration of Purkinje cells exclusively (778) 405
Murphy, D.L., see Bengel, D. (778) 338
Murray, T.F., see Koos, B.J. (778) 439

Nawashiro, H., Martin, D. and Hallenbeck, J.M.
Neuroprotective effects of TNF binding protein in focal cerebral ischemia (778) 265
Nestler, E.J., see Kosten, T.A. (778) 418
Niemi-Junkola, U., Shehab, S. and Redgrave, P.
Anticonvulsant and behavioural effects of bicuculline injected into the mesencephalic locomotor region of rats (778) 401
Numakawa, T., see Sakai, N. (778) 318

Ogura, A., see Sakai, N. (778) 318
Ono, K., see Orihara, Y.I. (778) 393
Orihara, Y.I., Kishikawa, M. and Ono, K.
The fates of the callosal neurons in neocortex after bisection of the corpus callosum, using the technique of retrograde neuronal labeling with two fluorescent dyes (778) 393
Ozawa, H., see Hu, Z. (778) 293

Pack, A.I., see Horner, R.L. (778) 127
Page, J., see Frank, M.G. (778) 64
Parthasarathy, L., see Parthasarathy, R. (778) 99
Parthasarathy, R., Parthasarathy, L. and Vadnal, R.
Brain inositol monophosphatase identified as a galactose 1-phosphatase (778) 99
Pelton, G.H., Lee, Y. and Davis, M.
Repeated stress, like vasopressin, sensitizes the excitatory effects of corticotropin releasing factor on the acoustic startle reflex (778) 381
Pickel, V.M., see Cheng, P.Y. (778) 367

Rao, H., see Schaffar, N. (778) 302
Redgrave, P., see Niemi-Junkola, U. (778) 401
Reynolds Jr., N.C., Lin, W., Meyer Cameron, C. and Roerig, D.L.
Differential responses of extracellular GABA to intrastriatal perfusions of 3-nitropropionic acid and quinolinic acid in the rat (778) 140
Roerig, D.L., see Reynolds Jr., N.C. (778) 140
Rostas, J.A.P., see Sansom, A.J. (778) 166
Routh, V.H., McArdle, J.J. and Levin, B.E.
Phosphorylation modulates the activity of the ATP-sensitive K^+ channel in the ventromedial hypothalamic nucleus (778) 107

Saavedra, J.M., see Bengel, D. (778) 338
Sakai, N., Yamada, M., Numakawa, T., Ogura, A. and Hatanaka, H.
BDNF potentiates spontaneous Ca^{2+} oscillations in cultured hippocampal neurons (778) 318
Saleh, T.M.
Visceral afferent stimulation-evoked changes in the release of peptides into the parabrachial nucleus in vivo (778) 56
Sanford, L.D., see Horner, R.L. (778) 127
Sansom, A.J., Brent, V.A., Jarvie, P.E., Darlington, C.L., Smith, P.F., Laverty, R. and Rostas, J.A.P.
In vitro phosphorylation of medial vestibular nucleus and prepositus hypoglossi proteins during behavioural recovery from unilateral vestibular deafferentation in the guinea pig (778) 166
Sanvitto, G.L., see Bengel, D. (778) 338
Schäfer, B.W., see Yamashita, N. (778) 388
Schaffar, N., Rao, H., Kessler, J.-P. and Jean, A.
Immunohistochemical detection of glutamate in rat vagal sensory neurons (778) 302
Seo, J., see Kang, T.-C. (778) 397
Seylaz, J., see Badaut, J. (778) 25
Shehab, S., see Niemi-Junkola, U. (778) 401
Shinozawa, T., see Kobayashi, Y. (778) 309
Simon, E.J., see Stone, E.A. (778) 1
Simpkins, J.W., see Gridley, K.E. (778) 158
Slowe, S.J., see Kitchen, I. (778) 73
Smeyne, R.J., see Chen, S.-C. (778) 251
Smith, P.F., see Sansom, A.J. (778) 166
Soumireu-Mourat, B., see Mourre, C. (778) 405
Stevens, D.R., see Flagmeyer, I. (778) 178
Stone, E.A., Zhang, Y., Hiller, J.M., Simon, E.J. and Hillman, D.E.
Activation of *fos* in mouse amygdala by local infusion of norepinephrine or atipamezole (778) 1
Suárez, I., Bodega, G. and Fernández, B.
Modulation of AMPA receptor subunits GluR1 and GluR2/3 in the rat cerebellum in an experimental hepatic encephalopathy model (778) 346
Suarez, S.S., see Webb, B. (778) 354

Takita, K., Herlenius, E.A.P., Lindahl, S.G.E. and Yamamoto, Y.
Actions of opioids on respiratory activity via activation of brainstem μ-, δ- and κ-receptors; an in vitro study (778) 233

Traub, R.J.
Spinal modulation of the induction of central sensitization (778) 34
Troyanovskaya, M., see Anderson, A.D. (778) 409
Tse, Y.C., see Kwok, K.H.H. (778) 43

Ullrich, K., see Möller, H.E. (778) 329

Vadnal, R., see Parthasarathy, R. (778) 99
Vermathen, P., see Möller, H.E. (778) 329
Vessotskie, J.M., Kung, M.-P., Chumpradit, S. and Kung, H.F.
Quantitative autoradiographic studies of dopamine D_3 receptors in rat cerebellum using [^{125}I]*S*(−)5-OH-PIPAT (778) 89
Vimy, M.J., see Aschner, M. (778) 222

Wackym, P.A., see Anderson, A.D. (778) 409
Walker, D.W., see Webb, B. (778) 354
Wang, X.-s., Ciraolo, G., Morris, R. and Gruenstein, E.
Identification of a neuronal endocytic pathway activated by an apolipoprotein E (apoE) receptor binding peptide (778) 6
Webb, B., Suarez, S.S., Heaton, M.B. and Walker, D.W.
Cultured postnatal rat septohippocampal neurons change intracellular calcium in response to ethanol and nerve growth factor (778) 354
Weglage, J., see Möller, H.E. (778) 329
Widdowson, P.S., Buckingham, R. and Williams, G.
Distribution of [Leu^{31},Pro^{34}]NPY-sensitive, BIBP3226-insensitive [^{125}I]PYY(3–36) binding sites in rat brain: possible relationship to Y_5 NPY receptors (778) 242
Wiedermann, D., see Möller, H.E. (778) 329
Williams, G., see Widdowson, P.S. (778) 242
Wong, R.N.S., see Kwok, K.H.H. (778) 43

Yamada, M., see Sakai, N. (778) 318
Yamamoto, Y., see Takita, K. (778) 233
Yamashita, N., Kosaka, K., Ilg, E.C., Schäfer, B.W., Heizmann, C.W. and Kosaka, T.
Selective association of S100A6 (calcyclin)-immunoreactive astrocytes with the tangential migration pathway of subventricular zone cells in the rat (778) 388
Yang, Y., see Hu, Z. (778) 293
Yung, K.K.L., see Kwok, K.H.H. (778) 43
Yuri, K., see Hu, Z. (778) 293

Zhang, Y., see Stone, E.A. (778) 1
Zhu, B. and Herbert, J.
Calcium channels mediate angiotensin II-induced drinking behaviour and *c-fos* expression in the brain (778) 206